

EOCCO Incentive Measure Dictionary 2018

Please review the below definitions for each measure grouping

Claims Based Measures

	Measure Definitions	Data Source
1	<p>Adolescent Well Care Visits Adolescents ages 12-21 with at least one comprehensive well care visit. Well care visit includes:</p> <ul style="list-style-type: none"> • History • Physical exam that includes weight, height, vision, heart, lungs, skin and genitalia • Assessment & plan 	Medical claims
2	<p>Alcohol and Drug Misuse Screening (SBIRT) Members ages 12 and older who received alcohol and drug misuse screening during an outpatient visit. Outpatient visits include office visits, home visits, and/or preventive medicine. Full screen or full screen + brief intervention services are required for reimbursement.</p>	2018: Medical claims 2019: Clinic's Electronic Health Record
3	<p>Child Immunization Status Combo 2 Children who turned 2 years of age in the measurement year and had all of the following specified vaccinations: Dtap, IPV, MMR, HiB, Hepatitis B, VZV.</p>	Public Health Division Immunization Program Registry (ALERTIIS)
4	<p>Dental, Mental, Physical Health Assessment for Children in DHS Custody Identified children/adolescents 0 – 17 years of age in DHS custody for 60 days who received a physical health assessment, a mental health assessment, and a dental health assessment within 60 days of the notification date (when CCOs are notified that the member is in DHS custody, or within 30 days prior to the notification date).</p> <ul style="list-style-type: none"> • Ages 1-4 mental health assessment not required • Ages < 1 only physical health assessment required • First Tooth or Smiles for Life certified medical providers can conduct and code for a dental assessment (D0191) when performed during a well-child check 	Dental, behavioral health, and medical claims
5	<p>Dental Sealants on Permanent Molars for Children Children ages 6-9 and 10-14 who received a sealant on a permanent molar tooth. Dental hygienists can determine need and apply sealants without the direct supervision by a dentist.</p>	Dental claims
6	<p>Developmental Screening (0-36 months) Children who turn 12 months, 24 months, or 36 months in 2018 who had a developmental screening within the <u>12 months prior to their birthday</u>. Screening results must be reviewed and interpreted by the provider (physician, NP or PA), discussed with the family, and the patient record must document the screening tool, results and actions taken. Another healthcare provider or early learning and development provider may <u>initiate</u> a developmental screen with a family. The results need to be reviewed with the family by a physician, NP, or PA within one month of completion of the screen to be considered valid or current.</p>	Medical claims

7	<p>Effective Contraceptive Use Women ages <u>15-50</u> with evidence of one of the following methods of contraception in 2018: IUD, implant, contraception injection, contraceptive pills, patch, ring, or diaphragm. Women with evidence of female sterilization (tubal ligation) anytime throughout the claims history will count towards the numerator in the measurement year, as well as subsequent years. Also included in the measure are surveillance codes that indicate women with long-acting reversible contraception (LARC) or permanent contraceptive options who do not have a pharmacy claim or procedure code in 2018.</p>	Medical and pharmacy claims
8	<p>Emergency Department Utilization Patients who have a physical health visit at an ED that does not result in an inpatient encounter. Exclude ED visits with a primary diagnosis of mental health or chemical dependency. Multiple ED visits on the same date of service is counted as 1 visit.</p>	Medical claims
9	<p>Emergency Department Utilization for Individuals Experiencing Mental Illness Patients with a previous diagnosis of mental illness who have a physical health visit at an ED that does not result in an inpatient encounter. ED visits for mental health or chemical dependency are excluded. Multiple ED visits on the same date of service is counted as 1 visit.</p>	Medical claims

Chart Review Measures

	Measure Definitions	Data Source
10	<p>Colorectal Cancer Screening Individuals receiving at least one of the following screenings for colorectal cancer either during the measurement year or years prior to the measurement year:</p> <ul style="list-style-type: none"> • Fecal occult blood test during the measurement year • Colonoscopy during the measurement year or nine years prior to the measurement year • Flexible sigmoidoscopy during the measurement year or four years prior to the measurement year 	Medical claims and chart review on sample population, determined by Oregon Health Authority
11	<p>Timeliness of Prenatal and Postpartum Care Prenatal care provided in the first trimester or within 42 days of enrollment. First trimester is considered the first three months of pregnancy, from the first day of the last menstrual period through 13 weeks gestation.</p> <p><u>Prenatal care</u> Documentation in the medical record must include a note indicating the date when the prenatal care visit occurred, and evidence of one of the following:</p> <ul style="list-style-type: none"> • Basic physical obstetrical examination (auscultation for fetal heart tone, pelvic exam with obstetric observations, or measurement of fundus height) • Prenatal care procedure (obstetric panel, echography of a pregnant uterus, documentation of LMP or EDD in conjunction with either prenatal risk assessment and counseling/education, or complete obstetrical history) <p><u>Postpartum care</u> Evidence of one of the following between 21 and 56 days after delivery:</p> <ul style="list-style-type: none"> • Pelvic exam • Evaluation of weight, blood pressure, breasts and abdomen • Notation of postpartum care, including, but not limited to “postpartum care,” “PP care,” “PP check,” or “6-week check” • Preprinted “Postpartum care” form • Pap test 	Medical claims and chart review on sample population, determined by Oregon Health Authority

Clinical Quality Measures

	Measure Definitions	Data Source
12	<p>Cigarette Smoking Prevalence Unique members 13 years of age or older who had a qualifying visit, who have their smoking and/or tobacco use status recorded as structured data, who are current smokers and/or tobacco users.</p> <p>Reports must be able to query the following to determine the <u>prevalence</u> measure:</p> <ol style="list-style-type: none"> 1. Of all your patients with a qualifying visit, how many have their cigarette smoking or tobacco use status recorded? 2. <u>Of all your patients with their cigarette smoking or tobacco use status recorded, how many are cigarette smokers?</u> 3. Of all your patients with their cigarette smoking or tobacco use status recorded, how many are smokers and/or tobacco users? <p>Rate #2 is used to determine the cigarette smoking prevalence measure. The rate must reduce on an annual basis.</p>	Clinic's Electronic Health Record
13	<p>Controlling Hypertension (High Blood Pressure) Patients ages 18-85 with a diagnosis of essential hypertension within the first six months of the year, whose blood pressure at the most recent visit is adequately controlled (systolic blood pressure less than 140 mmHg and diastolic blood pressure less than 90 mmHg). Only blood pressure readings performed by a clinician in the provider office are accepted.</p>	Clinic's Electronic Health Record
14	<p>Depression Screening and Follow Up Plan Patients ages 12+ screened for clinical depression, using an age appropriate standardized tool and if positive, a follow-up plan is documented on the date of the positive screen.</p>	Clinic's Electronic Health Record
15	<p>Diabetes HbA1c Poor Control Patients ages 18-75 with a diagnosis of Type 1 or Type 2 diabetes, whose most recent HbA1c level (performed during the measurement period) is greater than 9.0%.</p>	Clinic's Electronic Health Record
16	<p>Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents Patients ages 3-17 who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement period:</p> <ol style="list-style-type: none"> 1. Height, weight, and body mass index (BMI) documented 2. Nutrition Counseling 3. Physical Activity Counseling 	Clinic's Electronic Health Record

Primary Care Enrollment Measure

	Measure Definitions	Data Source
17	<p>PCPCH Enrollment Number of members enrolled in PCPCHs by tier.</p>	EOCCO Member PCP assignment

State CAPHS Survey Measure

	Measure Definitions	Data Source
18	<p>CAHPS Access to Care Members surveyed after the calendar year and their response rate to the following statements:</p> <ul style="list-style-type: none"> • Received care right away for illness/injury/condition as soon as you/child needed • Received an appointment for routine care as soon as you/child needed <p>Must achieve improvement targets for both children and adults to meet the measure.</p>	State CAHPS survey